

CERTIFICATE

No. U6 097674 0018 Rev. 00

Holder of Certificate: **Koopman Interlight**
Molenvliet 2
3961 MV Wijk bij Duurstede
The Netherlands

Certification Mark:




Product: **Power supplies
(LED Driver)**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142205002501

Date, 2020-07-21



(Taylor Yao)



CERTIFICATE

No. U6 097674 0018 Rev. 00

Model(s): IL-X3D14; IL-X3D28;
IL-X3D38; IL-X3D40; IL-X3D40L

Brand Name: INTERLIGHT



Parameters:

Rated Input Voltage: 220-240VAC

Rated Frequency: 50/60Hz

Rated Input Current: See below table for details

Rated Output: See below table for details

Protection against Electric Shock: Class II; SELV

Degree of Protection: IP20

Method of Installation: Independent

Type of Output: Constant current type

ta: See below table for details

tc: See below table for details

CERTIFICATE

No. U6 097674 0018 Rev. 00

Model	Rated Input Current (A Max.)	Output Voltage (VDC)	I _{rated} (mA)	U _{out} (VDC)	P _{rated} (W)	Value of t _a ; t _c (°C)
IL-X3D14	0.1	30-40	160	55	6.4	50; 80
			180		7.2	
			220		8.8	
			280		11.2	
			320		12.8	
			350		14	
IL-X3D28	0.18	30-40	400	55	16	40; 90
			500		20	
			600		24	
			700		28	
IL-X3D38	0.23	30-40	700	55	26.6	40; 90
			800		30.4	
			900		34.2	
		30-38	1000		38	
IL-X3D40	0.25	24-40	650	55	26	40; 80
			700		28	
			750		30	
			800		32	
			850		34	
			900		36	
		24-38	950		36.1	
			1000		38	
IL-X3D40L	0.25	24-40	650	55	26	45; 85
			700		28	
			750		30	
			800		32	
			850		34	
			900		36	
		24-38	950		36.1	
			1000		38	

Tested according to:

EN 61347-2-13:2014/A1:2017
 EN 61347-1:2015
 EN 62384:2006/A1:2009

Production Facility(ies):

097674